Arden M. Kaisman, MD 51 East 25th Street, 6th Floor TEL(212) 813-3199 New York, NY 10010

e-mail:akaisman@nypaincare.com FAX (212) 857-9415

INITIAL EVALUATION

RE: Adonna Frometa March 27, 2007

February 23, 2007; the patient was a seat-betted driver. She was complaining of neck pain radiating to intrascapular areas of both shoulders. The patient with numbness and tingling in both arms. The patient also complained of low back radiating to both thighs and lower extremities, more pronounced on the left side. The patient denies any This is a 39-year-old female who was a driver of an automobile on February 14, 2007. At that time, the patient sustained injuries to her neck and low back. The patient was treated and released at outpatient care at Midtown Medical Practice, in Villafuerte. There is a note from previous history of injuries to her neck and low back

PAST MEDICAL HISTORY: Noncontributory.

PAST SURGICAL HISTORY: Noncontributory.

ALLERGIES: She is allergic to Midol, as well as penicillin.

The patient has returned to part-time work since the accident, working as a flight attendant. In the note from February 23, 2007, there was diminished sensation in the right C5-C6 distribution, as well as the left L4-L5 distribution. There is decreased motor strength. Since the time of the accident, the patient has been undergoing physical therapy. On examination, the patient has paraspinal lumbar tenderness. Lumbar spine flexion is to 45 degrees and extension 10 degrees. All began on March 9, 2007.

Continued:

RE: Adonna Frometa March 27, 2007 On 03/13/2007, the patient had MRI of lumbar spine, which shows disc buiges at L3-L4 and L4-L5. There is a posterior disc hernlation at

more Except these the cervical splne on March 19, 2007 showed disc buiges with disc herniation at C3-C4.

flattening of the anterior superior margin at the C6 vertebral body.

MRI of the cervical spine that date showed C2-C3 and C4-C5 posterior

X-rays of the lumbar spine showed minimal dextroscollosis with narrowing of the L5-S1 disc space. X-rays

The patient comes to the office today with neck pain radiating to both shoulders, as well as to her right intrascapular region.

The patient has numbness and tingling in her right arm and hand.

The patient has severe back pain. She has had low back pain but this is improved. Her main complaint is of the cervical spine. The patient has severe back pain.

Physical examination of the cervical spine shows forward flexion is to 45 degrees, extension 40 degrees, right and left lateral bending are to 40 degrees, right and left lateral rotation to 70 degrees. There is normal motor strength in the upper extremities but decreased sensation in the right C5 and C6 distribution to pinprick to touch.

ASSESSMENT:

- DISC HERNIATION AT C3-C4 WITH DISC BULGE AT C2-C3 AND C4-C5 WITH THE RIGHT CERVICAL RADICULOPATHY. CERVICAL MYOFASCIAL PAIN SYNDROME.
 - 7

Continued

RE: Adonna Frometa March 27, 2007 Page 3

PLAN:

4 4 W 4 W

CONTINUE PHYSICAL THERAPY.
HOT AND COLD PACKS TO NECK.
RANGE OF MOTION EXERCISE.
FLEXERIL.
I HAVE DISCUSSED WITH THE PATIENT THE RISKS,
BENEFITS, AND ALTERNATIVES OF CERVICAL EPIDURAL
STEROID INJECTIONS TIMES THREE. THE RISK INCLUDES
SPINAL HEADACHE. THE PATIENT WAS INSTRUCTED TO
BRING THE MRI FILM FOR REVIEW.

The patient brought the MRI for review of the cervical and lumbar spine. The cervical spine was reviewed. This shows first of all that the disc heights are maintained in all sagittal views, herniation at C3-C4 could be seen on axial view #5. At present, the disc bulge is at C4-C5, which can be seen on axial view #7.

Arden M. Kaisman, MD AMK/LLX

WESTCHESTER MEDICAL CARE, P.C. 3262 Westchester Avenue

Bronx, N.Y. 10461 Tel. (718) 904-0908 April 11, 2007

Adonna Frometa 3/29/2007 2/14/2007 DATE OF CONSULTATION: DATE OF ACCIDENT: PATIENT NAME:

NEUROLOGICAL CONSULTATION

The patient, Adonna Frometa, was examined by me on March 29, 2007 for a neurological consultation. The following is a report of my findings and recommendations.

HISTORY:

was experiencing some neck and back pain. She went to seek medical care. She is here because the neck and back complaints have not improved. They are associated with difficulty in sitting, standing and Valsalva-type maneuvers. She is having difficulty in performing repetitive tasks such as bending, pushing and pulling. She had an MRI of the humbar spine on March 7, 2007, an MRI of the cervical spine on March 10, 2007 and a The patient is a 39-year-old who was the driver of a car that was struck in the rear. She CAT scan of the head on February 14, 2007. I reviewed the same.

PAST MEDICAL HISTORY:

Unremarkable.

FAMILY HISTORY:

Non-contributory.

SOCIAL HISTORY:

Non-contributory.

DESCRIPTION OF CURRENT COMPLAINTS

As above.

GENERAL, PHYSICAL, AND NEUROLOGICAL EXAMINATION:

Mental Status: The patient is cooperative, alert and oriented to person, place and time. The patient's communications ability, remote and recent insight, judgment, proverb interpretation, mood and affect are all within normal limits. Calculations, reversals, spelling, right to left orientation, ability to follow commands, identification of body parts, and face and hand tests are all within normal limits.

Cranial Nerve Examination: The pupils are round, regular, reactive to light and accommodated directly and consensually. The extraocular movements are full. Fundi are unremarkable. Visual acuity is within normal limits. Facial sensation and muscular Strength of the head, neck and jaw, and movements of the tongue are all within normal limits. The corneal reflex, gag reflex, and the remainder of the brainstem reflexes are normal and symmetrical bilaterally. Smell and taste were not tested. expression are normal.

Motor System Examination: Normal power bulk and tone in all muscle groups, except for 4/5 weakness in the deltoid, supraspinatus, biceps muscles, EHL, TA, GM muscles on the right side. There is a positive straight leg raising sign bilaterally at 30 degrees. There is an antalgic gait noted.

Range of Motion of the Cervical Spine:

Document 14-7

Flexion: 30/45-60 degress Extension: 10-20/45 degrees R.L. lateral flaxion: 20-30/45 degrees

R/L rotation: 80 degrees

Range of Motion of the Thoracolumbar Spine:

Flexion: 30-50/90 degrees

Extension: 10-15/30 degrees R/L lateral rotation: 10-15/30 degrees

AL rotation: 30 degrees

<u>Sensory Examination</u>: The patient's sensory thresholds to peripheral and corticosensory modelities inclusive of pinyrick, vibration, touch, two point discrimination, press and double stimulation are all within normal limits, except for decreased sensation on the outer aspect of the right leg to pin and decreased sensation on the outer aspect of the right arm to pin.

Maningeal Signs; There is no photophobia, eyeball tenderness, stiffness, and no signs of meningeal irritation.

Patient Name: Adonna Frometa Date of Consultation: 3/29/2007

Deep Tendon Reflexes: The deep tendon reflexes are 2+ and symmetrical with flaxor plantar responses bilaterally, except for the right ankle jerk, which is 1+ and the right biceps jerk, which is 1+.

IMPRESSION:

The patient's clinical features are consistent with a cervical and lumbar disc bulges and disc hemiation resulting in a neuropathic pain syndrome.

RECOMMENDATIONS:

The patient should obtain traction. If this does not improve, we will consider epidural injections. The patient will need to see Dr. Davy for the same.

Thank you very much.

Dr. B. S. Nangia Board Certified Adult and Child Neurologist

Dr. Dominique Cozien Board Certified Neurologist

1

Mehran Zadeh Physician Assistant

Dr. J. Singh Neurologist

₽-A

Ultrasound
Myofascial release
Faradism under pressure

PHYSICAL THERAPY INITIAL EVALUATION Westchester Medical Care, P.C.

Date: 3/19/04	Date of injury/actidents Feb 14, 2007	
tient's name: Acome Fromet	ge: 45	ferring doctor: D. / KL. 62 to

SUBJECTIVE:

History: A 2% year old male/female ratient who complains of/ocalize/ordin tingling, ambiness, spasma, difficulty of movement, weakness for the secondary to a vehicular secideds work-related tipury, slip/fall, others:

Past Medical History: None/Unremarkable Hypertension Cardiac disease

— DM
— Previous Trauma/Surgery
— Others: VM 4/1 Findings revealed paravertebral spasms, tendemess, swelling, tightness/taut bands OBJECTIVE:

others Sarral Sarral Sarral Shrighland Hip Ankle/fool Others:

Muscle Test: Ax Range of motion:

La aces 1/136 Deformities Trigger points.

Deformities Trigger points.

Cair Amalysis: Star. Ne. 7 a 140

ME as Good no reache 101/ Precautions/Recommendations: ASSESSMENT:

pr is active PLAN:

Patient will benefit from physical therapy with the following goals:

— Decrease pain, tendemess, spasm and tightness __finerease strength __finerease range of motion __finerease range in __finerease range in __finerease swelling __finereave pair __finerease swelling __finereave positive __finerease and __finerease a

Physical Therapy Management

Williams flexion exercises Traction and manipulation Back extension exercises

Meck exercises:

Traction

Physical Therapis

Electrical stimulation -Massage Prostbetic training Therapeutic exercises
Theraband exercises
Therability exercises
Therape of motion exercises
Conditioning exercises
Home greecises Afoist heat Cold packs
Paraffin wax bath
Gait training

PHYSICAL THERAPY NOTES

	Period & period
ن ک	
Vestchester Medical Care, P.C.	
3	
.Med	
leste	
estel	4
\$	17 5 5 6 6 7
	į
	1,750
	_

Date of Accident: 6 (14)			tabel poin, tendendar, stithers, difficulty of movement on
Name / Counc / Cometa	marrance (W) WC PVT LIEN other.	7/29/m	s. e. Cho ishading, but acting constantintemittent optating tocated pair, tendenges, sittiness, difficulty of movement on

		d oching constantifatemilitent radiating located pain, tendengan, tittinen, difficulty of movement on other
L	Į.	soching, constantfalem

sittness, difficulty of movement on other			ethan.	Massage 77124Uthosound 97	no (Fronth)	Patient's Signature
s. Pt. Cro j. Naoding. bud oching constantiatemiliteri, rogating locatoral pair, tendengss, stiffness, difficulty of movement on	C. legislement mande spoon, welfing, redness, finitetion of motion other: On Contract Leader Shoutter HG Brown Green Wrist and Hand Antide and fool Office Finite and Manual Contracting Contractings.	Loisotled treatment well Stown responsible to treatment.	He change in symptoms. Proceediting treatment — Refer for lodow up exam — Discharge	Physica Generacy Program Adda Haci 97010 Foreign Burb. Mark Mark Burb. Mar	7	PHYSICAL THERAPIST / PATIENT

ocataed) pain, tendemass, stiffnoss, difficulty of movement on other:

	Aritie and fael	
	endemest, musche spozen, sveiling, rednest, britistien of moltan other: Caristical Lumbor Shoulder HG Ebow Knee Wast and Hand Arbite and fool Ober Hander;	
	ritation o Knee	
	School, fr	
١	ş _ē	
	Shoulder Shoulder	
	Tunde y	
	O: fendemess, muscle spo Cervical Lumbor S Other findings:	

— ive change in symptom.
— Cochian beatment
— Cochian beatment
— Discharge
— Made Nagem
— Made N

PATIENT'S SIGNATURE PHYSICAL THERAPIST

Bectrical Sm 97014 Therapeutic exercise 97110 __Massage97134 __Uthasaund i __Massage67134 __Uthasaund i Date: 1: Pt. C/o phosing, aid acting, constant/intermittent, radiasing, tocalerd) pain, tendemen. tilthress, difficulty of movement on 1: Pt. C/o phosing, aid acting, constant/intermittent, radiasing, tocalerd; O Tendensis music spoom preditg, rednes, feritation of mation other.
Contact Lurico Stoulder Hp Boow Lines Wist and Hourd Antib and tool Other findings. Refer for follow up exam A: __tetsrated treatment well Sowly responding to treatm In change in symplome.

	_	
Tallen e signalone	Dafe: It Pt. Cho jshooting, dui oching, constantiniemiliem, radaing, bocateod) pain, tendemen, silihen, dificuty of movement en ether:	
	in tendemess. s	Antite and fool
	ing, locatized) po	O: Tendemest, musch spaen, sweling, tedness, finitelian at motion other. Cervical Lumber Shoulder Hip Elbow Knee Wist and Hand Ands and tool
	emiltent, radiali	iss. Smitotion of n Bow Knee V
	onstant/m	Ming. redne
PHISICAL INDICATES	Docting.	Shoulde
	poling. du	t, muscle ; Lumber
Ē	Date: t: Pt. C/o (str	: Tendemet Cavical

			URrosound	ATURE
•	.	Discharge		PATIENT'S SIGNATURE
		•	—Therapeutic exercise 97110 —Massage 97124 —Ultradound 40 —cold laser 97039	PATI
	vent. Other.	Refer for follow up exom	m. Beckteal San. 97014 Myddadad Release 97140	IST
	Slowly responding to beatment.	Continue tradiment	Mats Heaf 97010Bockt	PHYSICAL THERAPIST
	-1	~		

PHYSICAL THERAPY NOTES Westchester Medical Care, P.C.

Omer

Refer for follow up exam

O Tendespent Ribates spain. Inveiting, rediness, frisidision at Centrical Limbar Shoutse: Hip Boow Knee Observenge:

Date: It Pt. C/o (shooking, add activing, constant/intermillient, nodiading, bacakand) pran, tendenness, sidhness, difficulty of movement on the O Tendemess, musch speam, breibng, searest, britation of motion other.
Cervical Lumbar Shoulder Kip Ebow Cnee Wrist and Hard Ankle and fool Other Fradings.

PATIENT'S SIGNATURE PHYSICAL THERAPIST

Date: It Pt. Cho (shooting, als eching, constant/entermittent, rodicing, boodised poin, tendemen, stiffnen, difficulty of movement on

— No changen in pyratorns.

__Codduce insparing in pyratorns.
__Codduce in postar program
__Market program
__Market broad 70110 __Mansage77124 __Uilrojoung 57035
__boods in boot 70110 __Mansage77124 __Uilrojoung 57035

Patient's Signature

PHYSICAL THERAPIST